




## NewSpec May Stocktake Sale

The items below are located in Adelaide and are currently on special. The normal unit list price is shown as well as the discounted unit pricing. For University customers these items are available with Net 30 payment terms, for other customer who don't have an account with NewSpec the payment terms are prepayment.

The prices below do not include shipping costs or GST.

Item	Qty.	Part Number	Description	Normal Unit Price (A\$)	DISCOUNTED Unit Price (A\$)
A	1	FH-2S	 Drop-in Filter Holder, 2.0 in (50.8 mm) Round or Square <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=FH-2S">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=FH-2S</a>	\$68.62	<b>\$41.17</b>
B	2	AC-1A	 Universal Fixed Lens Mount, 5.0-46.2 mm Diameter, 1.25 in (31.8 mm) Axis Height <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=AC-1A">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=AC-1A</a>	\$38.72	<b>\$23.23</b>
C	1	10QM20HM.45	 High-Energy Nd:YAG Laser Mirror, 25.4 mm Diameter, 6.35 mm, 45°, 354.7 nm <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10QM20HM.45">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10QM20HM.45</a>	\$230.39	<b>\$138.23</b>
D	2	10QM20HM.45	 High-Energy Nd:YAG Laser Mirror, 25.4 mm Diameter, 6.35 mm, 45°, 354.7 nm <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10QM20HM.45">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10QM20HM.45</a>	\$230.39	<b>\$138.23</b>
E	1	10Q20UF.35P	 Super-Broadband Turning Mirror, Ultrafast, 25.4 mm Diameter, P Pol, 680-1060nm <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10Q20UF.35P">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10Q20UF.35P</a>	\$518.63	<b>\$311.18</b>
F	2	10QM20HM.35	 High-Energy Nd:YAG Laser Mirror, 25.4 mm Diameter, 6.35 mm, 45°, 532 nm <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10QM20HM.35">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10QM20HM.35</a>	\$200.98	<b>\$120.59</b>
G	2	10QM20HM.45	 High-Energy Nd:YAG Laser Mirror, 25.4 mm Diameter, 6.35 mm, 45°, 354.7 nm <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10QM20HM.45">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10QM20HM.45</a>	\$230.39	<b>\$138.23</b>
H	2	10Q20HE.1	 High-Energy Nd:YAG Laser Mirror, 25.4 mm Diameter, 6.35 mm, 45°, 1064 nm <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10Q20HE.1">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=10Q20HE.1</a>	\$166.67	<b>\$100.00</b>
I	1	SBX052	 Fused Silica Bi-Convex Lens, 50.8 mm Diameter, 75.6 mm EFL, Uncoated <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=SBX052">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=SBX052</a>	\$563.73	<b>\$338.24</b>
J	2	KPX079	 Plano-Convex Lens, BK 7, 25.4 mm Diameter, 38.1 mm EFL, Uncoated <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=KPX079">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=KPX079</a>	\$39.22	<b>\$23.53</b>
K	2	KPX076	 Plano-Convex Lens, BK 7, 25.4 mm Diameter, 25.4 mm EFL, Uncoated <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=KPX076">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=KPX076</a>	\$39.22	<b>\$23.53</b>

### NewSpec Pty Ltd

134 Gilbert Street, Adelaide SA 5000

Head Office +61 8463 1967

Facsimile +61 8 8410 8816

Email [sales@newspec.com.au](mailto:sales@newspec.com.au)
















[newspec.com.au](http://newspec.com.au)

### Confidentiality Note

Dissemination, distribution or copying of the the information herein by anyone other than the intended recipient, or an employee or agent of a system responsible for delivering the message to the intended recipient, is prohibited. If you are not the intended recipient, please inform the ender and delete all copies.

ABN 82 882 831 899. Incorporated in South Australia.



Item	Qty.	Part Number	Description	Normal Unit Price (A\$)	DISCOUNTED Unit Price (A\$)
L	2	CKX100AR.14	 Plano-Convex Cylindrical Lens, BK 7, 50.8 x 50.8 mm, 100 mm EFL, 430-700 nm <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=CKX100AR.14">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=CKX100AR.14</a>	\$262.75	\$157.65
M	2	CKX075AR.14	 Plano-Convex Cylindrical Lens, BK 7, 50.8 x 25.4 mm, 75.6 mm EFL, 430-700 nm <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=CKX075AR.14">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=CKX075AR.14</a>	\$279.41	\$167.65
N	2	CKX050AR.14	 Plano-Convex Cylindrical Lens, BK 7, 50.8 x 25.4 mm, 50.2 mm EFL, 430-700 nm <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=CKX050AR.14">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=CKX050AR.14</a>	\$316.67	\$190.00
O	2	10D20DM.4	 Laser Line Dielectric Mirror, 25.4 Dia, 6.0mm, lambda/10, 632.8nm <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=10D20DM.4">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=10D20DM.4</a>	\$102.94	\$61.76
P	1	11B00HP.4	 Thin Film Polarizer, High-Energy Nd:YAG, BK7, 14.3 x 28.6 mm, 532 nm <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=11B00HP.4">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=11B00HP.4</a>	\$626.47	\$375.88
Q	1	FSQ-ND20	 UV Fused Silica Metallic ND Filter, 50.8 x 50.8 mm, 2.0 OD at 632.8 nm <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=FSQ-ND20">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=FSQ-ND20</a>	\$125.49	\$75.29
R	1	FSQ-ND30	 UV Fused Silica Metallic ND Filter, 50.8 x 50.8 mm, 3.0 OD at 632.8 nm <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=FSQ-ND30">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=FSQ-ND30</a>	\$125.49	\$75.29
S	3	M-VPH-3	 No Slip Optical Post Holder, 76.2 mm Height, 12.7 mm Diameter Post, M6 Thread <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-VPH-3">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-VPH-3</a>	\$12.25	\$7.35
T	2	VPH-2	 No Slip Optical Post Holder, 2 in. Height, 0.5 in. Diameter Post, 1/4-20 Thread <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=VPH-2">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=VPH-2</a>	\$11.75	\$7.50
U	1	M-URS100TP	 Solid Top Mounting Plate, URS100 Series, M6 Threaded Holes <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-URS100TP">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-URS100TP</a>	\$161.76	\$97.60
V	1	M-B-1.25	 Adaptor Plate, 25 x 25 mm to 40 x 40 mm Stage <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-B-1.25">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-B-1.25</a>	\$39.21	\$23.53
W	2	C-0.5	 Standard Post Collar, For Post Dia. 0.5 in. <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=C-0.5">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=C-0.5</a>	\$3.23	\$1.94
X	2	KS-1	 Kinematic Stop, Coarse Travel 1 in. (25.4 mm) <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=KS-1">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=KS-1</a>	\$18.62	\$11.17
Y	1	KN-1	 Kinematic Nudger, Coarse Travel 1 in. (25.4 mm), Fine Travel 0.30 in. (7.6 mm) <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=KN-1">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=KN-1</a>	\$35.28	\$21.17
Z	4	M-PS-4E	 Optical Pedestal Extension, 101.6 mm Height, 25.4 mm Diameter, M4 Thread <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-PS-4E">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-PS-4E</a>	\$27.44	\$16.46

## NewSpec Pty Ltd

134 Gilbert Street, Adelaide SA 5000

**Head Office** +61 8463 1967

**Facsimile** +61 8 8410 8816

**Email** sales@newspec.com.au















newspec.com.au

## Confidentiality Note

Dissemination, distribution or copying of the the information herein by anyone other than the intended recipient, or an employee or agent of a system responsible for delivering the message to the intended recipient, is prohibited. If you are not the intended recipient, please inform the ender and delete all copies.

ABN 82 882 831 899. Incorporated in South Australia.



Item	Qty.	Part Number	Description	Normal Unit Price (A\$)	DISCOUNTED Unit Price (A\$)
AA	2	M-PS-4	 101.6 mm Optical Pedestal, Stainless Steel, 25.4 mm Diameter, M4 Thread <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-PS-4">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-PS-4</a>	\$30.38	<b>\$18.23</b>
AB	4	PS-F	 Clamping Fork, Standard Slot, For 1.0-in. Pedestals <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=PS-F">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=PS-F</a>	\$8.32	<b>\$4.99</b>
AC	2	M-PS-SC	 Optical Pedestal Sliding Clamp, 25.4 mm Diameter Pedestal, M4 Thread <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-PS-SC">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-PS-SC</a>	\$29.40	<b>\$17.64</b>
AD	1	B-05A	 Stainless Steel Slotted Base, Translation Range 0.68 in. <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=B-05A">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=B-05A</a>	\$6.85	<b>\$4.11</b>
AE	1	M-BC-5	 Adjustable-Height Base Clamp, Short, M6 Tapped Holes, Metric <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-BC-5">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-BC-5</a>	\$8.81	<b>\$5.29</b>
AF	1	M-B-2C	 Adaptor Plate, 25 x 25 mm Stage to Optical Table or 65 x 65 mm Stage <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-B-2C">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-B-2C</a>	\$39.21	<b>\$23.53</b>
AG	2	78818	 Flange Converter, 1.5 Inch Series, Female C-Flange to Female <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=78818">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=78818</a>	\$162.35	<b>\$97.41</b>
AH	1	77855	 Monochromator Fiber Adapter, Large Slit Fiber Bundle, Model 77250 <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=77855">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=77855</a>	\$179.26	<b>\$107.56</b>
AI	1	77829	 Light Source Coupling Ring, 1.5 Inch Series, Double Female, Set Screw <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=77829">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=77829</a>	\$62.01	<b>\$37.21</b>
AJ	1	60043	Socket Adapter, Q Series, Horizontal, 50,100, and 250 W Quartz Tungsten Halogen Lamps <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=60043">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=60043</a>	\$91.32	<b>\$54.79</b>
AK	16	883-UV	FILTER ASSY, NEUTRAL DENSITY <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=883-UV">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=883-UV</a>	\$185.92	<b>\$111.55</b>
AL	1	BM17.25	 Standard Resolution Micrometer, 25 mm Travel, 23 lb Load Capacity <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=BM17.25">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=BM17.25</a>	\$183.32	<b>\$109.99</b>
AM	3	AJS127-0.5	 High Precision Small Knob Adjustment Screw, 12.7 mm Travel, 127 TPI, Side Lock <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=AJS127-0.5">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=AJS127-0.5</a>	\$43.13	<b>\$25.88</b>
AN	1	FWM	 Filter Wheel Mount Hub, Does Not Include Filter Wheels <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=FWM">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=FWM</a>	\$117.64	<b>\$70.58</b>
AO	3	M-BK-2A	 Kinematic Base, Magnetic, 50.8 x 62.23 mm, Metric <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-BK-2A">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=M-BK-2A</a>	\$88.23	<b>\$52.94</b>
AP	7	SM-25	 Vernier Micrometer, 25 mm Travel, 23 lb Load Capacity, 50.8 TPI <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=SM-25">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=SM-25</a>	\$113.23	<b>\$67.94</b>

## NewSpec Pty Ltd

134 Gilbert Street, Adelaide SA 5000

Head Office +61 8463 1967

Facsimile +61 8 8410 8816

Email sales@newspec.com.au

















newspec.com.au

## Confidentiality Note

Dissemination, distribution or copying of the the information herein by anyone other than the intended recipient, or an employee or agent of a system responsible for delivering the message to the intended recipient, is prohibited. If you are not the intended recipient, please inform the ender and delete all copies.

ABN 82 882 831 899. Incorporated in South Australia.



Item	Qty.	Part Number	Description	Normal Unit Price (A\$)	DISCOUNTED Unit Price (A\$)
AQ	4	DM11-25	 Differential Micrometer, 25.1 mm Coarse, 0.1 mm Fine, 6.6 lb Load Capacity <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=DM11-25">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=DM11-25</a>	\$409.79	<b>\$245.87</b>
AR	1	AJS100-0.5H	 High Precision Hex Adjustment Screw, 12.7 mm Travel, 100 TPI, End Lock <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=AJS100-0.5H">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=AJS100-0.5H</a>	\$30.19	<b>\$18.11</b>
AS	4	AJS8-100-0.5H	 Miniature High Precision Hex Adjustment Screw, 12.7mm Travel, 100 TPI, Side Lock <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=AJS8-100-0.5H">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=AJS8-100-0.5H</a>	\$28.03	<b>\$16.82</b>
AT	4	AJS100-02H	 High Precision Hex Adjustment Screw, 6.35 mm Travel, 100 TPI, End Lock <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=AJS100-02H">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=AJS100-02H</a>	\$30.19	<b>\$18.11</b>
AU	2	CP-0.5	 Pivot Insert, 1 inch Suprema Optical Mounts <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=CP-0.5">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=CP-0.5</a>	\$16.66	<b>\$10.00</b>
AV	1	LAB-14	 Solvent Dropper Bottle, 2 oz (60ml) <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=LAB-14">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=LAB-14</a>	\$9.80	<b>\$5.88</b>
AW	10	KD.75	 Large Actuator Knob, For Hex Head Adjustment Screw, U100 - U300 Series <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=KD.75">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=KD.75</a>	\$6.85	<b>\$4.11</b>
AX	2	Q-XE-MA-1	 Rod Clamp/Table Top Adaptor Plate <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-XE-MA-1">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-XE-MA-1</a>	\$29.40	<b>\$17.64</b>
AY	2	Q-XE-DI-1	 Probe Beam Access Plate <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-XE-DI-1">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-XE-DI-1</a>	\$64.70	<b>\$38.82</b>
AZ	3	M-PS-Q	 Optical Pedestal Cube, M4 Mounting Holes <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-PS-Q">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-PS-Q</a>	\$29.40	<b>\$17.64</b>
BA	4	Q-TMS-1.5	 Optical Pedestal Post Holder With Clamping Fork, 1.5 in. Height <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-TMS-1.5">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-TMS-1.5</a>	\$43.13	<b>\$25.88</b>
BB	4	Q-RG-12	 Guide Rod, 10-inch long <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-RG-12">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-RG-12</a>	\$16.66	<b>\$10.00</b>
BC	4	Q-CC-1	 Cube Connector Peg, Connects Two Cubes Face to Face, Aegis Qube System <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-CC-1">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-CC-1</a>	\$9.79	<b>\$5.87</b>
BD	1	Q-SS100-R3HN	 Kinematic Optic Mount, 1 in. Diameter, Stainless Steel, Aegis Qube System <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-SS100-R3HN">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-SS100-R3HN</a>	\$117.64	<b>\$70.58</b>
BE	1	Q-BT-C	 Beam Tube Connector, Aegis Qube™ Series <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-BT-C">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-BT-C</a>	\$29.40	<b>\$17.64</b>
BF	4	Q-BT-12	 Beam Tube, 12 inch, Aegis Qube™ Series <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-BT-12">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=Q-BT-12</a>	\$29.40	<b>\$17.64</b>

## NewSpec Pty Ltd

134 Gilbert Street, Adelaide SA 5000

**Head Office** +61 8463 1967

**Facsimile** +61 8 8410 8816

**Email** sales@newspec.com.au







newspec.com.au

## Confidentiality Note

Dissemination, distribution or copying of the the information herein by anyone other than the intended recipient, or an employee or agent of a system responsible for delivering the message to the intended recipient, is prohibited. If you are not the intended recipient, please inform the ender and delete all copies.

ABN 82 882 831 899. Incorporated in South Australia.



Item	Qty.	Part Number	Description	Normal Unit Price (A\$)	DISCOUNTED Unit Price (A\$)
BG	4	SLM-12A	 Compact Air Mount, 1200 lb Max. Load, 80 psi Max. Air Pressure, SLM Series <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=SLM-12A">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=SLM-12A</a>	\$337.55	<b>\$202.53</b>
BH	2	M-150	 Low-Profile, Heavy Duty Magnetic Base, 200 lb (890N), Holding Force, M6, Metric <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-150">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-150</a>	\$392.15	<b>\$235.29</b>
BI	1	M-40	 355.6 mm Optical Support Rod, 38.1 mm Diameter, M6 Thread <a href="http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-40">http://search.newport.com/?q=*%&amp;x2=sku&amp;q2=M-40</a>	\$78.42	<b>\$47.50</b>
BJ	0	DI4#52	 NewSpec Laser Safety eyewear for 180-395 nm and 625-850 nm Frame Style: 52 Filter: DI4 Filter colour: Blue VLT: 12% AS/NZS 1337.4:2011 (equivalent to EN207:2009) 180-315 D LB7 + R LB3 >315-395 D LB5 + R LB6 >830-850 DIR LB3 625-830 DR LB4 625-670 I LB4 >800-830 I LB4 >670-800 I LB5 NOTE: Image is to illustrate frame style only, filter colour may be different to what is shown.	\$151.96	<b>\$91.18</b>
BK	1	RB3#56	 NewSpec Laser Safety eyewear for 180-400 nm and 625-720 nm Frame Style: 56 Filter: RB3 Filter colour: Teal VLT: 56% AS/NZS 1337.4:2011 (equivalent to EN207:2009) 180-315 D LB5 + R LB4 >315-400 D LB4 625-665 DIR LB1 >665-<694 DIR LB2 694-700 D LB4 + I LB7 + R LB6 >700-710 D LB4 + IR LB6 >710-720 DIR LB2 NOTE: Image is to illustrate frame style only, filter colour may be different to what is shown.	\$161.76	<b>\$97.60</b>
BL	1	YG3#51	 NewSpec Laser Safety eyewear for 808-1090 nm Frame Style: 51 Filter: YG3 Filter colour: Green VLT: 59% AS/NZS 1337.4:2011 (equivalent to EN207:2009) 808-840 DIRM LB4 >840-950 DIRM LB5 >1080-1090 DIRM LB5 >950-1080 D LB6 + IRM LB7 NOTE: Image is to illustrate frame style only, filter colour may be different to what is shown.	\$166.67	<b>\$100.00</b>

### NewSpec Pty Ltd

134 Gilbert Street, Adelaide SA 5000

**Head Office** +61 8463 1967

**Facsimile** +61 8 8410 8816

**Email** sales@newspec.com.au






newspec.com.au

### Confidentiality Note

Dissemination, distribution or copying of the the information herein by anyone other than the intended recipient, or an employee or agent of a system responsible for delivering the message to the intended recipient, is prohibited. If you are not the intended recipient, please inform the ender and delete all copies.

ABN 82 882 831 899. Incorporated in South Australia.



Item	Qty.	Part Number	Description	Normal Unit Price (A\$)	DISCOUNTED Unit Price (A\$)
BM	1	ARG#53	 NewSpec Laser Safety eyewear for 180-532 nm Frame Style: 53 Filter: ARG Filter colour: Orange VLT: 48% AS/NZS 1337.4:2011 (equivalent to EN207:2009) 180-315 D LB7 + IR LB4 >315-532 DIRM LB6 NOTE: Image is to illustrate frame style only, filter colour may be different to what is shown.	\$98.04	<b>\$58.82</b>
BN	1	81011	 Air Mass 0, Outer Space, Filter <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=81011">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=81011</a>	\$766.67	<b>\$460.00</b>
BO	1	77529	 F/# Matcher <a href="http://search.newport.com/?q=*&amp;x2=sku&amp;q2=77529">http://search.newport.com/?q=*&amp;x2=sku&amp;q2=77529</a>	\$2,367.65	<b>\$1,420.59</b>
BP	1	BMU25B-975-01-R	 Oclaro 25W 975 nm uncooled high performance Multimode laser diode module Fibre laser feedback protection Single emitter based laser diode module Output power: >25 W Wavelength: 975 +/-5 nm Optical fibre: 0.15 NA 105 um core MM fibre Package: Hermetically sealed 2-pin package	\$1,188.73	<b>\$713.24</b>
BQ	1	BMU25-940-01-R	 Oclaro 25W 940 nm uncooled high performance Multimode laser diode module Fibre laser feedback protection Single emitter based laser diode module Output power: >25 W Wavelength: 940 +/-10 nm Optical fibre: 0.15 NA 105 um core MM fibre Package: Hermetically sealed 2-pin package	\$1,243.88	<b>\$746.33</b>

### NewSpec Pty Ltd

134 Gilbert Street, Adelaide SA 5000

**Head Office** +61 8463 1967

**Facsimile** +61 8 8410 8816

**Email** [sales@newspec.com.au](mailto:sales@newspec.com.au)

[newspec.com.au](http://newspec.com.au)

### Confidentiality Note

Dissemination, distribution or copying of the the information herein by anyone other than the intended recipient, or an employee or agent of a system responsible for delivering the message to the intended recipient, is prohibited. If you are not the intended recipient, please inform the ender and delete all copies.

ABN 82 882 831 899. Incorporated in South Australia.



---

### Terms & Conditions

1. Price: All prices are listed in Australian Dollars and are based on the following exchange rates  
**A\$1.00 = US\$1.02**  
**Prices are FIXED**
2. Payment Terms: **NET 30**
3. A 1.5% surcharge applies to MasterCard and VISA card orders. Diners and American Express cards are not accepted.
4. Ownership: All equipment remains the property of NewSpec Pty. Ltd. until payment is completed.
5. Returns & Cancellations: Discrepancies should be reported immediately. Order cancellations prior to shipment shall incur a cancellation charge of 20% of the order value. Cancellations after shipment shall incur a restocking charge of up to 30%. Parts may also be returned for credit.
6. Conditions of Warranty: Unless stated otherwise products are warranted for twelve (12) months from date of shipment and include parts and labour. Liability under this warranty is limited to repairing or replacing of any equipment that proves to be defective during the warranty period. In warranty repaired or replaced equipment is warranted only for the remaining, unexpired portion of the original warranty period. Optics, flashlamps and arc lamps have a limited 90 days warranty.
7. By issuing a purchase order in connection with this quotation, the purchaser acknowledges that the products purchased pursuant to such purchase order will not be used by the end user thereof for any of the following end-uses: (A) Chemical or Biological Weapons-related end-uses (design, development, production, stockpiling or use of chemical or biological weapons); or (B) Rocket/Missile Technology-related end-uses (design, development, production, stockpiling or use of Rocket/Missile systems or unmanned air vehicles).

#### NewSpec Pty Ltd

134 Gilbert Street, Adelaide SA 5000

**Head Office** +61 8463 1967

**Facsimile** +61 8 8410 8816

**Email** sales@newspec.com.au

newspec.com.au

#### Confidentiality Note

Dissemination, distribution or copying of the the information herein by anyone other than the intended recipient, or an employee or agent of a system responsible for delivering the message to the intended recipient, is prohibited. If you are not the intended recipient, please inform the ender and delete all copies.

ABN 82 882 831 899. Incorporated in South Australia.